भोपाल डेरी प्लांट, हबीबगंज, भोपाल - 462 024 म.प्र. (भारत) BHOPAL DAIRY PLANT, HABIBGANJ, BHOPAL - 462 024 M.P. (INDIA) PBX (0755) 2478250, 51, 52, 53 FAX No. (0755) 2450896, E-mail: bsdsim@gmail.com, sanchi.bhopal@gmail.com

### E-Tender for Manufacturing of Packaged Namkeen

Inviting E-tender for the Manufacturing of packaged Namkeen. The description of the tender process such as Bid Opening, closing and detailed information about the terms and conditions of work of the participating tenderer can be obtained for review from the website of MPCDF Bhopal www.sanchidairy.com.

The right to accept or reject any tender will rest with the Chief Executive officer,. If any correction/amenmends is found in the tender, the same will be published only on the MPCDF Bhopal website www.sanchidairy.com & www.mptenders.gov.in. It will not be published/considered by any other medium.

Chief Executive Officer

Book, No. Mari Dugdh Sangh, No. Maria Bagon, No. Maria Ba

# Manufacturing of Packaged NAMKEEN Year 2024-2027



### भोपाल सहकारी दुग्ध संघ मर्यादित BHOPAL SAHAKARI DUGDHA SANGH MARYADIT.



(मध्यप्रदेश सहकारी सोसायटीज अधिनियम १९६० के अधीन पंजीकृत) GSTIN - 23AAAAB0221D1ZW

भोपाल डेरी प्लांट, हबीबगंज, भोपाल - ४६२ ०२४ म.प्र. (भारत)

BHOPAL DAIRY PLANT, HABIBGANJ, BHOPAL - 462 024 M.P. (INDIA) PBX (0755) 2478250, 51, 52, 53

FAX No. (0755) 2450896, E-mail: bsdsim@gmail.com, sanchi.bhopal@gmail.com



भोपाल डेरी प्लांट, हबीबगंज, भोपाल - 462 024 म.प्र. (भारत) BHOPAL DAIRY PLANT, HABIBGANJ, BHOPAL - 462 024 M.P. (INDIA) PBX (0755) 2478250, 51, 52, 53 FAX No. (0755) 2450896, E-mail: bsdsim@gmail.com, sanchi.bhopal@gmail.com

### Tender form for the work of manufacturing for Packaged Namkeen

Sr.no.	Description	Proceeding details
1.	Bid Opening Date & Time	Date 18.09.2024 at www.mptenders.gov.in ,
		with tender form cost of Rs.1000/- from
		12:00 noon
2.	Bid Closing Date & Time	Date 04.10.2024, Time 12:00 Noon
3.	Technical Bid Opening date &	Date 07.10.2024, Time 12:00 Noon
	Time	Online
4.	EMD	EMD amount Rs.50000/- (Fifty Thousand
		Rupees only) submit online & attached
		reciept

As per the above description, tenderer will have to download the the tender form online from the website shown above then read all the necessary details and terms and conditions of manufacturing of Sanchi Namkeen mentioned in the tender form in details so that the society can avail the tender form in its form. the tender from for online purchase at the value of Rs 1000/- should be uploaded and submitted online along with the EMD amount on the precribed date and the time by attaching the documents. the tender received will first be subjected to the required specifications and after that the tender will be proceed as per the procedure. the right to accept or reject any tender will rest with the Chief Executive officar, Bhopal Sahakari Dugdh Sangh. The tenderer's contract period will remain effective for Three years on completion of the said period, if the performance of the tenderer is satisfactory, the right to extend the contract period of another 2 yrs (1+1) on the same terms and conditons will vest with the chief executive officer. If any correction/amenmends is found in the tender, the same will be published only on the MPCDF Bhopal website www.sanchidairy.com & www.mptenders.gov.in. It will not be published/considered by any other medium.

Chief Executive Officer

### **Essential Qualification**

TO,

Chief Executive Officer, Bhopal Sahakari Dugdh Sangh, Bhopal

Sir,

Under the scope of Bhopal Sahakari Dugdh Sangh E-tender for Manufacturing of Packaged Namkeen Item in Bhopal Milk Union Jurisdiction. with reference to the E-tender published in various news paper on date ........... Manufacturing of packaged Namkeen, I request that I have read and understood all the conditions & instructions mentioned in the tender form. If my tender is accepted as per the rules, I agree to work as per the condition set by you.

Sr.no	Essential Qualification	Description	Mandatory Documents
1	Name of the Tenderer (Firm/Company/Partnership/Ownership)/		Mention Name of the Tenderer (Firm/Company/Partnership/Owner ship)
1.1	Must be legally authorised to fill the tender on behalf of company.		Original copy of the power of attorney of the person signing the tender of behalf of the sole proprietor/company, attested and certified by a notary. Not necessary in case of owner/proprietor submit the tender himself.
1-2	It is Mandatoty for the bidder to have Pan card Number		Attached photocopy of pancard
1-3	(Firm/Company/Partnership/Owne rship/) Attached Appendix No. 1&2		Attched Appendix no. 1 & 2
1.5	Tendere (Firm/Company /Partnership /Ownership) should have never been black listed by any government/non government organisation and should not have been blacklisted by the police. there is no case pending in the court.		Submit an affidavit of proof on notarized stamp on Rs 100/ the format of the affidavit is attached on form no.04 of the tender.
1.6	Tenders (Firm/Company/Partnership/Owne rship/) should have minimum 05 years of experience in Manufacturing of packaged NAMKEEN Item		Submit an affidavit of proof on notarized stamp on Rs 100/ the format of the affidavit is attached on form no.05 of the tender.  Regarding Experience, Read clause 7 on appendix no.02
1.7	Ii is mandatory for the tenderer to		Attached the copy of Profit & Loss

	attach to turnover for the financial year 2020-21,2021-22 and 2022-23	of the Said company, certified by a CA, of minimum turnover of 300 lacs in the Financial Year 2020-21,2021-22 & 2022-23.
1.8	Tenderer should have GST NO.	Attached a copy of GST No.
1.9	It is Mandatory to attached the receipt of Rs.50000/- EMD amount Deposited through online payment.	Attached EMD receipt.
1.10	Attched copy of MSME Certificate	For the MP State enterpreneurs. Attached MSME cerificate. No EMD will be required in case of MSME Enterpreneurs.
1.11	Tenderer Should have FSSAI & ISO	Attached a copy of FSSAI & ISO
1.12	It is Mandatory to attached the receipt of Rs.1000/- Tender Form Cost.	Attach tender form Receipt.

- Note- 1. All the above documents should self certified by the tenderers. if any documents not attached by the tenderers and not self certified by the tenderers, tender will be Rejected.
  - 2. Bidders should fullfill Above technical Bid. In appendix no. 02. terms and conditions of the tender where all necessary documents are mentioned. bidders will have to submit with Technical Bid.

Name of th	e Tendrers	
Address-		
-		
Contact no.		

## Terms and conditions of Manufacturing of PACKAGED NAMKEEN Items

- 1. The successful bidder will have to execute the contract on Notarized Stamp of Rs.1000/-.
- **2.** Manufacturing of packaged NAMKEEN to sanchi or any agency appointed by sanchi on its behalf on an exclusive basis NAMKEEN brand name.
- **3.** Only Madhya pradesh MSME entreprenures will be free from EMD amount but they have to submit MSME certificate in the tender. without submitting the MSME certificate. Tender will not be accepted.

#### 4. Contract Period-

The tenderer's contract period will remain effective for Three year on completion of the said period, if the performance of the tenderer is satisfactory, the right to extend the contract period of Two Years (1+1) on the same terms and conditions will vest with the chief executive officer.

### 5. Security Deposit -

Approved bidder will have to pay security deposit of Rs.100000/- (One Lakh Rupees Only) through Demand Draft or RTGS which will be payable in the name of "Bhopal Sahakari Dugdh Sangh Mydt. Bhopal". EMD amount will be adjusted in Security Amount. No interest will be paid at cash Security Deposit.

### 6. Arbitration-

If any dispute arises between the parties in respect of this work. The case may submitted to Managing Director, MPCDF for review, In case of no resolution, Proceeding will be conducted as per provision of the Arbitration Act of 1996.

- 7. The Jurisdiction of this contract will be in the Bhopal city court.
- **8.** There will be no change even if any surprise holiday is announced at the time of receipt of tender. If the date fixed for opening of technical bid or financial bid of the tender is declared holiday then the bids of the relevant day of the respective tender will be opened at the pre-determined time ob the next working day.

### 9. Inspection

All the material supplies are subject tot inspection at our stores before acceptance. If goods are rejected due to defective or wrong supply, the reports of our authorised official in this respect shall be final and no correspondence other subject would be entertained. If the material is not found as per the

specification of BSDS Bhopal the consignment will be rejected shall not be returned. Supplier will be informed regarding rejection by post/e-mail. Supplier should attend this office with in 15 days of the reciept of intimation so that the material could be rechecked and destroyed in his presence. If the supplier doesn't attend this office on time then the material will be destroyed by Bhopal Sahakari Dugdh Sangh Mydt. No payment shall be made against the rejected material.

### **10.No Deviation Clause**

No Deviation will be accepted in any mandatory terms conditions and specification of the tender. In case any deviation is found after opening of technical bid and commercial bid tenderer will debarred from the tender process and Chief Executive Officer, Bhopal Sahakari Dugdh Sangh reserves the right to reject any or all tenders on the basis of any deviations.

### 11.Payment

Bhopal dugdh Sangh will make 70% advance payment against purchase order of goods demand to the Successful bidder and rest 30% of the payment will be paid by the Dugdh Sangh after delivering goods to the successful bidder. Although remaining payment after receipt and acceptance of material in our stores with in a period of about 15 days after receipt. Such payment shall be made through accounts payee checques/RTGS.

### 12. Liquidated Damages-

Successful tenderers will have to supply materials on given time. If timely supply is not to be done then following penalty will be charged...

S.No.	Delay Period	Penalty Amount
1.	Till 15 Days	1% of cost
2.	Between 16 TO 30 Days	2 % of cost
3.	After 30 Days	5 % of cost

- 13. If any tenderers want to get any information or queries, objections about this tender. they can contact on Bhopal Dugdh Sangh office at any working time between 10 am to 6 pm. two days before opening of tender. No queries and objections will be accepted after opening of tender.
- **14. Price variation** If any tenderer wish to rate subject to price escalation clause of raw material. they may do so by clearly indicating the technical bid. In case of tenderer opting for offering prices subject to price escalation clause of raw material then...

- (A) The tenderer shall have to submit the current price of the raw material as on the date of tenderer along with sufficient authentic price from the manufacturer of the raw material.
- (B) The approved bidder will have to submit revised price of raw material where ever revision takes place.
- (C) The revision in the rates will be considered only for nearest raw material depot of approved bidder plant location.
- (D)Accordingly the approved prices of material shall be revised upwardly or downwardly to the extent of the raw material component of the material.
- (E) Bidder should send the current raw material price list along with all time of supplies were effected. However Bhopal Sahkari Dugdh Sangh reserve the right to approve the rates offered with or without to price escalation clause.
- **15.** This is online tenders so tenderers should read and go through all terms and conditions very carefully and submit all the nesessary documents as well EMD amount through only online. Physical documents will not be accepted and tender will be rejected automatically.
- **16.**(a) Bidder may be sole properitorship a company registered under the Companies Act 1956 or a Partnership Firm registered under Indian Partnership Act 1932 or Limited Liability Partnership Act 2008,

### 7. Technical eligibility criteria for opening of financial bids:

A. Technical capacity: For demonstrating technical capacity and experience the BIDDER shall, over the past 3 (three) financial years 2020-21, 2021-22 & 2022-23

Have relevant Job work experience of at least 5 years (five years) of fully automatic Packaged Namkeen manufacturing plant.

The plant must have been operational under norms and procedures prescribed by Bureau of Indian Standards.

Must have ISO and BIS licence within 3 months of operation.

B. **Financial Capacity**: For each project that the bidder wishes to qualify for, the bidder shall have

A minimum total turnover of Rs.300 Lakhs during last financial years.

Details of Experience: (a) The Bidder should furnish the details of Eligible Experience for the last 3 (three) financial years, 2020-21, 2021-22,2022-2023).

- (b) The Bidder must provide the necessary information relating to Technical Capacity
- (c) The Bidder should furnish the required project-specific information and evidence in support of its claim of Technical Capacity.
- 8. The successful Bidder will have to prepare art work and necessary design of Packaged Namkeen items and other packaging material as well at his own cost. No additional cost would be paid by the Dugdh Sangh regarding this.
- 9. The bidder will mentioned online rates of Packaged Namkeen items including their all necessary expences & taxes. The successful bidder shall not be entitled for other expenses except only approved rates in the contract.

- 10. No rates shall be changed between the contract period. If the prices of raw material increase in the market, the approved rates of tender can be changed on tha basis of the prices increased in the market & on this basis MRP, Distributor margin, retailer margin will also be revised.
- 11. The successful bidder will have to bring materials at FOR in the main plant of Bhopal Sahkari Dugdh Sangh Maryadit, Habibganj, Bhopal (Madhya Pradesh).

### 1. Technical Specification of Manufacturing of Packaged Namkeen

Namkeen foods should be typically designed by portable, quick and satisfying. Namkeen foods must be designed by less perishable more durable and more portable then prepared foods.

Namkeen foods must be substaintial amount of sweetners, preservatives and appealing ingredients such as chocolates, peanuts and specially designed flavoures.

#### 2. Selection of Raw material:

- 2.1 Raw material for dough are fed to kneading machine kneads fed raw material into dough. After frying namkeen foods are passed through deoiling machine. It removes most of the excess oil and makes product dry.
- 2.2 The selected raw materials of namkeen are besan, oil, sices, packaging material, dal, peanut, potato, dry fruits etc. based on the type of namkeen foods.

### 3. Frying:

The frying medium shall be regularly replaced with fresh batches of oil or fat or combination thereof to confirm to good manufacturing practices. Temperature of the frying medium shall not exceed the smoke point.

### 4. Packaging:

The Namkeen shall be packed in food grade flexible thermoplastic film (having properties of high oxygen/water vapour barrier such as BOPP) of multilayer or monolayer constructions or their laminates with paper aluminium foil. The sealing shall be done hermetically with or without nitrogen flushing to retain the content in fresh condition.

- **5.** Namkeen foods shall have an attractive colour, texture and pleasant taste an odour. It shall be crisp and homogeneous in case of mixture.
- **6.** The namkeen shall not be excessively greasy and shall be free from rancidity and other objectionable odour and taste.
- 7. The namkeen shall not bear any sign of significant burning or charring.
- **8.** The material shall be free from insects, insect fragments, rodent hair and excreta and fungal infestation.

- 9. Marking- The following particulars shall be marked or labelled on each container. Printing shall be done by using non toxic and non penetrating/non transferable ink:-
  - (a) Description of ingredients
  - (b) Name and address of manufacturer
  - (c) Trade name, if any Mass of the loaf when packed
  - (d Any added ingredients such as preservatives, emulsifiers, dough conditioners nutrients etc.
  - (e) Date of manufacture.
  - (f) Date of Expiry.
  - (g) Symbol for veg food.

### 10. **Ingredients:**

The ingredients shall be clean, wholesome and free from any infection,

infestation and foreign materials and free from any undesirable smell. Material such as besan (gram flour IS:2400), beaten rice/maize IS:10770, Potatoes, refined edible vegetable oil, edible hydrogenated vegetable oil IS:10633, Salt (IS:253 or IS:7224) chilly powder (IS:2322), black pepper (IS:1798), cloves (IS:4404), asfoetida, coriander (IS:2443), saunf (IS:3796), kadi patta, garlic, cumin seeds (IS:2447) sesam seeds, khaskhas, turmeric (IS:3576), black salt, garam masala (IS:13545), raisins, cashew nuts (IS:7750) almonds, makhana (IS:3155), coconut, groundnut kernel (IS:10065), jaggery, sugar (IS:5982 or IS:1151), permitted flavouring and color as permitted under PFA Rules. Citric Acid/Tartaric acid, Sodium Bicarbonate (IS:2124, IS:5464 and IS:9504)

### PHYSICOCHEMICAL PARAMETERS

Protein Value	The Protein value should be 2.93 /100gm	
	in Namkeen.	
Fat (on dry basis) –	For Aloo bhujia 55 for other namkeens 45	
Energy Value	Energy Value should be 112.23	
	kcal/100gm.	
Moisture	Moisture content in Namkeen shall not be	
	more than 5% by mass.	
Acid insoluble Ash (on dry basis)	Acid insolube Ash sholud not be more	
, , ,	than 0.1% by mass.	
Acid value for extracted Fat	Acid value of extracted fat should not be	
	more than 1.0	
Peroxide Value	Peroxide value should not be more than	
	10.	
Salt	Salt should not be more than	
	32.13mg/100gm	
Dietary Fibre	Dietary Fibre is expected to be as high as	
	possible in Namkeen.	

Rancidity (in product & in extracted	Rancidity should not found in Namkeen.
oil)	
Transfat	Transfat should not found in Namkeen
Saturated Fat	Saturated Fat value should be 956.98mg/
	100gm
Polyunsaturated Fat	Polyunsaturated Fat should be 718.80mg/
	100gm
Monounsaturated Fat	Monounsaturated Fat should be
	581.75mg/ 100gm
Carbohydrates	Carbohydrates should be 18.98gm/100gm
Mineral Oil in extracted fat/oil	It should not found in Namkeen.
Yeast & Mould It should be as lowest as in Namkeen	
Coliform	It should be as lowest as in Namkeen

### **Hygiene Requirements**

The Namkeen shall be prepared in premises maintained in a hygienic condition, (IS:2491) which shall be open to inspection at any time by a competent authority.

### **Inspection**

An inspection shall be carried out by the competent authority of Supplies and Transport or an officer acting on his behalf on all supplies tendered for acceptance. The decision of this officer shall be final.

11

### **Methods of analysis**

The methods of analysis shall be those as laid down in Bureau of Indian Standards Specification No IS: 15271 for Namkeen.

### **Machinery**

The Namkeen manufacturing unit shall preferably have the machinery in accordance with following equipments.

Sl. No.	Description
1.	Dough Mixture
2.	Bhujia Sev Machine
3.	Rectangular batch tilting fryer with diesel burner
4.	Seasoning Drum
5.	Packing Machine

In addition to rest of the nesseccary machinery will setup as per requirements.

### Mandatory requirements of FSSAI/BIS

All mandatory requirements of FSSAI/BIS, as amended from time to time, pertaining to the above product shall be complied with.

### **HYGIENE REQUIREMENTS**

1. <u>Site</u>. The Namkeen unit shall preferably be situated in an open, clean and healthy locality. The grounds of the premises surrounding the factory building should be clean and preferably paved or turfed to lay the dust.

### 2. Building

- (a) <u>Structure</u>. The building shall be of permanent nature and shall be of brick and lime plaster, cement, concrete or any other material which ensures cleanliness. Construction of building shall be such that it shall be rodent proof, fly proof and bird proof. The building and yard, with fittings and equipment should be kept free from breeding places of flies and other insects by eliminating cracks and crevices, as well as by routine and thorough cleaning.
- (b) <u>Ventilation and lighting.</u> The unit shall be adequately lighted and ventilated, keeping in mind the number of workers, their hours of work and nature of operation.
  - 3. <u>Floor.</u> The floor shall be washable with sufficient drainage facility and it shall be impervious to water and not affected by weak acids, alkalies or steam.

- 4. <u>Internalwall</u>. The internal wall shall be smooth, it should be tiled or cement plastered or made of any other impervious material. Where wash basins, sinks are installed, the walls shall be tiled or made impervious to water upto the height of wash basin to safe guard the wall from water seepage.
- 5. Ceiling. The ceiling shall be kept clean.
- 6. <u>Maintenance and repairs</u>. The building shall be maintained in a proper state of repairand cleanliness. Whenever required it shall be lime washed, painted, disinfected and/or deodorized.
- 7. There shall be no cobwebs in any part of the unit.
- 8. Preparation and filling table shall be of wooden tops or covered with Aluminium or stainless sheets or otherwise made impervious to water as far as practicable. All surfaces coming into contact with the food shall be free from pits, crevices and loose scale and shall be non absorbent.
- 9. All internal joinery work should be of simple design for easy cleaning and for minimizing flour dust deposit. In all rooms' wood work, surrounding door windows and other opening should be fixed tight to the internal wall surface so as to avoid open joints which may harbour pests.
- 10.<u>Store Rooms.</u> The store rooms for raw and packing material should be free from dampness and should be rodent proof.
- 11. Wherever possible a separate room for storing machinery, equipment, spare parts shall be provided.
- 12. Proper place shall be provided for storage of brooms, brushes, buckets and other cleaning gear.

### 13. Factory and processing Hygiene.

- (a) Waste and rubbish shall be collected in covered receptacles and shall not be allowed to lie about on the floor.
- (b) Adequate measures shall be taken to prevent growth of mould on equipment and internal structure of processing and storage room.
- (c) Adequate measures shall be taken to prevent infestation of cockroaches and other house hold pests.
- (d) When pesticides and/or other disinfectants are used, care shall be exercised to prevent contamination of equipment, raw material and packing materials.
- (e) Floors and drains shall be kept clean. In the processing areas, the drains shall be provided with detachable covers.
- (f) Sinks and troughs used for washing ingredients and utensils shall not be used for washing of hands.
- (g) No lavatory, sink, cesspool or garbage shall be so situated or maintained that odours or fumes there from pervade any room where product or raw materials are prepared or stored.
- (h) The factory effluents shall be disposed of in a hygienic manner and shall not be let off on road or adjacent fields.
- (j) Window glass and light fitting shall be kept clean.

- (k) Domestic animals shall not be allowed in any part of the unit.
- 14. <u>Container cleanliness</u>. It shall be ensured that containers are clean. The containers shall not be stacked in a manner which allows the contamination of the product.

### 15. Installation of Equipment

- (a) All equipment shall be installed on a foundation of durable, easily cleanable material.
- (b) Equipment shall be placed away from the walls with a view to providing facilities for inspection and cleaning.
- (c) Installation of pipes shall be such as to facilitate easy cleaning and maintenance.

### 16. **Equipment and Container Cleanliness**

- (a) All electrical connections such as switch boxes, control boxes, conduit cables shall be installed in such a way as to facilitate proper cleaning.
- (b) All equipment coming in contact with raw materials or the product shall be kept clean. An ample supply of water, hoses, brushes, detergent and other equipment necessary for the proper cleaning of machinery and equipment shall be available.
- (c) All processing systems shall be cleaned at the close of operation or at the termination of the continuous operation period.

### **17.** Water.

- (a) There shall be adequate supply of potable water.
- (b) The equipment shall be so installed and used that back siphonage of liquid into potable water lines is precluded.
- (c) Hot and cold water in ample supply shall be provided for plant clean up needs where necessary.
- (d) The storage tanks of water should, unless completely sealed, be kept covered, examined regularly and cleaned at least once every six months.

### 18. Employee Hygiene

- (a) Every person employed in the factory shall be medically examined before employment. Periodical medical examination of the employee shall be subsequently carried out to ensure that they are free from contagious, communicable diseases.
- (b) It shall be impressed upon all employees that they should notify the medical officer, cases of vomiting, diarrhoea, typhoid, dysentery or any other notifiable disease occurring in their own homes and families.
- (c) Employees shall keep their finger nails short and clean and wash their hands with soap or detergent before commencing work and after each absence,

- specially after using sanitary conveniences. Towels used for drying hands should be clean.
- (d) All employees should be inoculated against typhoid and paratyphoid once in every five years. In case of an epidemic all workers shall be inoculated and a record shall be kept.
- (e) No worker shall be allowed to work without proper clothing. Employees shall be provided with clean uniform/aprons and clean washable caps. The uniforms shall not be worn outside the plant but just before starting the work and changed when leaving.
- (f) Eating, spitting, nose cleaning, the use of tobacco in any form or chewing betel leaves shall be prohibited within the manufacturing, packing and storage areas of the unit. Notice to this effect shall be prominently displayed.
- (g) Sufficient and suitable sanitary conveniences shall be provided, maintained and kept clean. The conveniences shall be properly lighted. No conveniences shall open directly into any work room in the factory.
- (h) Sufficient wash basins with adequate provision of soap and towels, latrines and urinals in the prescribed manner should be provided.

### **Declaration**

I/we have read and understood all terms and conditions of the tender. All the neccessary information and documents presented by Me/Us are true. In contract period if any information or documents submitted by me/us is found to be false then Bhopal Sahakari Dugdh Sangh will have the right to take any action against me/us. I/we give our consent.

Name of the Tenderer	r
Signature	•

### BOQ:

	Pack Size	Price including all (GST,
Product Name		transpotation etc )
	200gm	
Bhujia Sev	400gm	
Bilujia Sev	600gm	
	1kg	
Mixtures	200 gm	
IVIIXtures	400gm	
Khatta Mitha	200gm	
	200gm	
Navratan Mix	1Kg	
Lite Chiwda	200gm	
Gathiya	200gm	
Dry Fruit Mix	200gm	
Moong Dal	200gm	
Boondi	200gm	
	220gm	
Aloo Bhujia	400gm	
	1Kg	
Spicy Peanuts	200gm	
Masala Kaju	35gm	
Salted Kaju	35gm	

Note: BOQ will be submit online. Physically BOQ wil be rejected.

### (Submit on Rs.100/- Notarized Stamp) NON-BLACKLISTING

I/We	S/o	Age
E—te	nder published in the newspaper on	ed an affidavit to the effect regarding the date for the manufacturing of it is being presented by me in my full
	ousness and to my knowledge:-	it is being presented by the in my fun
1-	That we have never been blacklist Organisation foir any work till date.	ed by any Government/Non Government
2-	That our updated status till date the court.	ere is no criminal case/suit pending in the
		Name
		Signature
1-	Witness	
	Name:Address:	
	Adhaar Card No.	
	Mobile No.	
2-	Witness	
	Name :	
	Adhaar Card No	
	Mobile No.	

### <u>Verification</u>

Date:

I, the Affiant, solemnly declare that the entire statement Mentioned in the paragraph No. 01 & 02 of the above affidavit is true and Correct on the basis of my personal knowledge. Nothing has been hidden from this.

### (Submit on Rs.100/- Notarized Stamp) UNDERTAKING

<u>m</u>	
Ī/We	S/o Age
of Pa authen contra incorre action	that we have minimum five years of Experience in manufacturing ackaged Namkeen Items. We have attached affidavit in the E-tender for attication completely correct based on my knowledge if at any time during the ct period, for any reason, the copy of affidavit submitted by us is found to be ect, The Bhopal Sahakari dugdh Sangh management will be free to take any against us & we for this, we give my consent that there will be no objection to the tion taken against us by Bhopal Sahakari Dugdh Sangh.
	Name
1_	Witness
	Name:
	Address:
	Adhaar Card No
	Mobile No
	Witness Name:

### Verification

Date:

I, the Affiant, solemnly declare that the entire statement Mentioned in the above affidavit is true and Correct on the basis of my personal knowledge. Nothing has been hidden from this.

Agreement format (Tenderes can read the terms and conditions of the tender) should not attached with the online tender document.

### **Appendix No.6**

Agreement For the Manufacturing of Packaged Namkeen Items

This agreement is made at Bhopal on of 2024 for the period
from to
BY & Between
M/S Bhopal Sahkari Dugdh Sangh MARYADIT, having its Administrative
Office at Diary Plant Habibganj, Bhopal (MP) -462004 herein after
reffered to as First Party and with its factory
approved by the ISO, FSSAI license No.
herein after reffred to as the second party,

- 1. This is purely commercial agrrement. If the second party is not willing to do the work as per agreement. he will have to give one month advance notice to the first party & if the first party does not want to continue this agreement with the second party then the first party will inform to the second party through advance notice of one month.
- 2. The First Party hereby allows the Second Party to process and packaged Namkeen item as developed and registered by the First Party under the TRADE MARK "SANCHI NAMKEEN", hereinafter referred to as "SANCHI NAMKEEN".
- **3.** The First Party hereby grants to the Second Party, during the subsistence of this agreement, a license to use the "TRADE MARK" as per the terms and conditions contained in the Agreement on even date and be signed and executed from time to time by the parties here to.
- **4.** The Second party hereby convenants with the First party, as follows:-
  - (a) To Manufacturer "PACKAGED NAMKEEN" brand "SANCHI NAMKEEN Item" in a plant according to the process specified by the First Party and should comply to the statutory requirements and ISO/BIS standards applicable from time to time.
  - (b) To keep complete records of all quality control test carried out as specified by the First Party and also of production and Distribution of "SANCHI

- Namkeen" and furnish to the First Party, with such reports and samples as may be requested by the First Party from time to time.
- (c) To permit the First Party to inspect Second Party entire premise at any time during regular business hours, without notice and observe all aspects of the conduct of the business by the Second Party. The Second Party will take immediate remedial action to correct any deficiencies and to maintain the standards of quality referred to herein and in the specifications.
- (d) To employ the methods of operations as per the prevailing regulations, to ensure the highest quality product and services to consuming public.
- (e) That it understand and hereby acknowledge that uniform and high standards of quality and services are necessary in order to create and maintain goodwill and widespread consumer acceptance.
- (f) to vigorously and diligently promote and solicit the sale of "SANCHI NAMKEEN" and also to ensure full and complete distribution placements & promotion of "SANCHI NAMKEEN item" in Railways, Institutions and Retail Market.
- (g) To comply with all request of First Party with respect to the appearance and use of the "TRADE MARK" Licensed, including any request to change the form or style discontinue using any of the said "TRADE MARK AND NAME" in substituiton of another "TRADE MARK AND NAME".
- (h) To comply with the provisions of all applicable laws including Labour Laws Provident Fund, ESI, Tax Laws of the State Government, Central Government and the Local Authorities. The Second Party shall only be responsible for any contravention or breach of the acts.
- (i) Not to process, packates, sell, deal in or otherwise be concerned with any product under any TRADE MARK which is an imitation or infrigement of the TRADE MARK or is likely to cause passing off, of any product as if it originates from the First Party because of the Second Party association with the business of manufacturing and selling "SANCHI NAMKEEN" it is hereby expressly understood and stipulated that the use of the said TRADE MARK in any form or fashion or any word graphically similar thereto or any imitation thereof, of any product other than that of the First Party would constitute and infringement of the TRADE MARK.
- (j) The Second Party should not take job Contract/Manufacture Contract/Franchisee Agreement for any other brand or Trade Mark or any

other licensee trade mark without prior permission in writing from the First Party.

- 5. The Second Party hereby further covenants with First Party, as under
  - (a) That the First Party shall have an absolute right to fix the MAXIMUM RETAIL PRICE (MRP) of the goods.
  - (b) After placement of order second party will produce the required products and complete all necessary labelling and packaging with specified date and will be deliver final finished goods to main plant at Habibganj.
  - (c) That the First Party shall have an absolute right to establish the Dealer network and also to Appoint/Change Dealers . the second party shall however be responsible for providing the manufactured bottle to main plant Habibganj only.
- **6.** Rs 5000/- penalty will be imposed if goods are directly sold by the second party.
- 7. The Second Party shall on every week render to the First Party, a true & full account of the number of Boxes/cases/units/Crates of PACKAGED NAMKEEN item manufactured & sold in prescribed shapes & sizes during previous month.
- **8.** The second party will not sublet the whole contract during the contract.
- **9.** Save and except by the License herein, the Second Party shall not during the subsistence of the License, make use, exercise, or vend or permit or authorize any person or persons other than the Second Party, to make use exercise or vend the said "TRADE MARK" within the territory aforesaid.
- **10.**The Second Party hereby covenants with the First Party that it shall, true fully & lawfully use the said Trade Mark for the purpose aforesaid & shall not allow any other person/s or party to use said Trade Mark.
- 11. The Second Party shall not be entitled to sub-let, assign or Vend the said Trade Mark in any respect whatsever to any other person and shall not be linked in any way with any other brand of Packaged Namkeen directly or indirectly.
- 12. The Second Party shall not place in market any goods which does not meet the First Party specifications as to quality. It is futher agreed that the Second Party shall not use the said Trade mark in a manner that may jeopardize it's distinctive character and shall obtain First Party prior approval of all labels packaging materials, sales promotion and advertising material. The legend "used under a license from the Trade Mark proprietor" shall be displayed in all the aforesaid material.

- 13. The First Party shall have the liberty to terminate this Agreement with immediate effect if the Second Party violates or commits breach any condition of this Agreement without granting further time.
- **14.** The Second Party will have to start production within 30 days from the date of signing of Agreement or else the amount of Security Deposit shall be forfeited.
- **15.**The Second Party shall have no right, whatsever, on the said Traded mark & shall have no authority to make use, exercise or vend the said Trade Mark on the determination of the LICENCE, either by affix of time or by the act of Parties.
- **16.**The Second Party shall have to supply stocks to the main plant at Bhopal Sahakari Dugdh Sangh.
- 17. Forthwith upon the occurrence of any of the following events, the First Party may (without prejudice to any other right or remedy) by written notice to the Second Party will be liable to impose penalty Rs 50000/- with immediate effect at any time.
- (a) If the Second Party fails to pay any sums payable under this agreement within 30 days time or.
- (b) If the First Party becomes aware that the finished products manufactured by the Second Party have a critical health defect or they are not as per the norms of the First Party.
- (c) If the First Party does not bother for samples taken under Quality Control or Food Safety Standard Act or amendments thereof, from Retail market or Institution Which affects the brand reputation.
- (d) In any other circumstances, either party can terminate this agreement by giving 30 days notice to the party.
- **18.**All other term & condition are not explicitly mentioned in this agreement. The terms and condition of the "AGREEMENT" signed on even date shall be form part of this agreement and binding on the Second Party.
- **19.**In case of termination of this agreement either by afflux of time or the act of Parties hereto, the AGREEMENT stands automatically terminate or vice versa.
- **20.** After deliver all goods at main plant habibganj. if any goods does not match as per specification of the first party. the second party shall replace those goods then after rest of the amount will be paid by the first party.
- **21.**Terms and conditions of the tender document which is mentioned in appendix no.02 shall be part of this agreement.

### 22.Contract Period-

The Second Party contract period will remain effective for Three year on completion of the said period, if the performance of the Second Party is satisfactory, the right to extend the contract period of Two Years (1+1) on the same terms and conditions will vest with the chief executive officer.

### 23. Security Deposit –

Second Party will have to pay security deposit of Rs.100000/- (One Lakh Rupees Only) paid through demand draft which will be paybale in the name of Bhopal Sahakari Dugdh Sangh Maryadit, Bhopal. EMD amount will be adjusted in Security Amount. No interest will be paid at cash Security Deposit.

#### 24. Arbitration-

If any dispute arises between the parties in respect of this work. The case may submitted to Managing Director, MPCDF for review, In case of no resolution, Proceeding will be conducted as per provision of the Arbitration Act of 1996.

**25.** The Jurisdiction of this contract will be in the Bhopal city court.

### 26.Inspection

All the material supplies are subject to inspection at our stores before acceptance. If goods are rejected due to defective or wrong supply, the reports of our authorised official in this respect shall be final and no correspondence other subject would be entertained. If the material is not found as per the specification of First Party the consignment will be rejected shall not be returned. Second Party will be informed regarding rejection by post/e-mail. Second Party should attend this office with in 15 days of the reciept of intimation so that the material could be rechecked and destroyed in his presense. If the Second Party doesn't attend this office on time then the material will be destroyed by First Party. No payment shall be made against the rejected material.

### 27.Payment

The first party will make 70% advance payment against purchase order of goods demand to the second party and rest 30% of the payment will be paid by the first party after delivering goods to the second party. Although remaining payment after receipt and acceptance of material in our stores with in a period of about 15 days after receipt. Such payment shall be made through accounts payee checques/RTGS.

### 28. Liquidated Damages-

Successful tenderers will have to supply 23terilized packaged NAMKEEN on given time. If timely supply is not to be done then following penalty will be charged...

S.No.	Delay Period	Penalty Amount
1.	Till 15 Days	1% of cost
2.	Between 16 TO 30 Days	2 % of cost
3.	After 30 Days	5 % of cost

- **29.** Letter and circular issued from time to time shall be deemed to be part of this contract.
- **30.** No rates shall be changed between the contract period. If the prices of raw material increase in the market, the approved rates of tender can be changed on tha basis of the prices increased in the market & on this basis MRP, Distributor margin, retailer margin will also be revised.

### 10. <u>Technical Specification of Manufacturing of Packaged Namkeen</u>

Namkeen foods should be typically designed by portable, quick and satisfying. Namkeen foods must be designed by less perishable more durable and more portable then prepared foods.

Namkeen foods must be substaintial amount of sweetners, preservatives and appealing ingredients such as chocolates, peanuts and specially designed flavoures.

#### 11. Selection of Raw material:

- 11.1 Raw material for dough are fed to kneading machine kneads fed raw material into dough. After frying namkeen foods are passed through deoiling machine. It removes most of the excess oil and makes product dry.
- 11.2 The selected raw materials of namkeen are besan, oil, sices, packaging material, dal, peanut, potato, dry fruits etc. based on the type of namkeen foods.

### 12.Frying:

The frying medium shall be regularly replaced with fresh batches of oil or fat or combination thereof to confirm to good manufacturing practices. Temperature of the frying medium shall not exceed the smoke point.

### 13. Packaging:

The Namkeen shall be packed in food grade flexible thermoplastic film (having properties of high oxygen/water vapour barrier such as BOPP) of multilayer or monolayer constructions or their laminates with paper aluminium foil. The sealing shall be done hermetically with or without nitrogen flushing to retain the content in fresh condition.

- **14.**Namkeen foods shall have an attractive colour, texture and pleasant taste an odour. It shall be crisp and homogeneous in case of mixture.
- **15.**The namkeen shall not be excessively greasy and shall be free from rancidity and other objectionable odour and taste.
- **16.** The namkeen shall not bear any sign of significant burning or charring.
- **17.** The material shall be free from insects, insect fragments, rodent hair and excreta and fungal infestation.
- 18. Marking- The following particulars shall be marked or labelled on each container. Printing shall be done by using non toxic and non penetrating/non transferable ink:-
  - (a) Description of ingredients
  - (b) Name and address of manufacturer
  - (c) Trade name, if any Mass of the loaf when packed

- (d Any added ingredients such as preservatives, emulsifiers, dough conditioners nutrients etc.
- (e) Date of manufacture.
- (f) Date of Expiry.
- (g) Symbol for veg food.

### 10. **Ingredients:**

The ingredients shall be clean, wholesome and free from any infection,

infestation and foreign materials and free from any undesirable smell. Material such as besan (gram flour IS:2400), beaten rice/maize IS:10770, Potatoes, refined edible vegetable oil, edible hydrogenated vegetable oil IS:10633, Salt (IS:253 or IS:7224) chilly powder (IS:2322), black pepper (IS:1798), cloves (IS:4404), asfoetida, coriander (IS:2443), saunf (IS:3796), kadi patta, garlic, cumin seeds (IS:2447) sesam seeds, khaskhas, turmeric (IS:3576), black salt, garam masala (IS:13545), raisins, cashew nuts (IS:7750) almonds, makhana (IS:3155), coconut, groundnut kernel (IS:10065), jaggery, sugar (IS:5982 or IS:1151), permitted flavouring and color as permitted under PFA Rules. Citric Acid/Tartaric acid, Sodium Bicarbonate (IS:2124, IS:5464 and IS:9504)

### PHYSICOCHEMICAL PARAMETERS

Protein Value	The Protein value should be 2.93 /100gm
	in Namkeen.
Fat (on dry basis) –	For Aloo bhujia 55 for other namkeens 45
Energy Value	Energy Value should be 112.23
	kcal/100gm.
Moisture	Moisture content in Namkeen shall not be
	more than 5% by mass.
Acid insoluble Ash (on dry basis)	Acid insolube Ash sholud not be more
	than 0.1% by mass.
Acid value for extracted Fat	Acid value of extracted fat should not be
	more than 1.0
Peroxide Value	Peroxide value should not be more than
	10.
Salt	Salt should not be more than
	32.13mg/100gm
Dietary Fibre	Dietary Fibre is expected to be as high as
	possible in Namkeen.
Rancidity (in product & in extracted	Rancidity should not found in Namkeen.
oil)	
Transfat	Transfat should not found in Namkeen
Saturated Fat	Saturated Fat value should be 956.98mg/
	100gm
Polyunsaturated Fat	Polyunsaturated Fat should be 718.80mg/

	100gm	
Monounsaturated Fat	Monounsaturated Fat should be	
	581.75mg/ 100gm	
Carbohydrates	Carbohydrates should be 18.98gm/100gm	
Mineral Oil in extracted fat/oil	It should not found in Namkeen.	
Yeast & Mould	It should be as lowest as in Namkeen	
Coliform	It should be as lowest as in Namkeen	

### **Hygiene Requirements**

The Namkeen shall be prepared in premises maintained in a hygienic condition, (IS:2491) which shall be open to inspection at any time by a competent authority.

### **Inspection**

An inspection shall be carried out by the competent authority of Supplies and Transport or an officer acting on his behalf on all supplies tendered for acceptance. The decision of this officer shall be final.

### **Methods of analysis**

The methods of analysis shall be those as laid down in Bureau of Indian Standards Specification No IS: 15271 for Namkeen.

### **Machinery**

The Namkeen manufacturing unit shall preferably have the machinery in accordance with following equipments.

Sl. No.	Description
1.	Dough Mixture
2.	Bhujia Sev Machine
3.	Rectangular batch tilting fryer with diesel burner
4.	Seasoning Drum
5.	Packing Machine

In addition to rest of the nesseccary machinery will setup as per requirements.

### **Mandatory requirements of FSSAI/BIS**

All mandatory requirements of FSSAI/BIS, as amended from time to time, pertaining to the above product shall be complied with.

### **HYGIENE REQUIREMENTS**

15. <u>Site</u>. The Namkeen unit shall preferably be situated in an open, clean and healthy locality. The grounds of the premises surrounding the factory building should be clean and preferably paved or turfed to lay the dust.

### 16. <u>Building</u>

- (a) <u>Structure</u>. The building shall be of permanent nature and shall be of brick and lime plaster, cement, concrete or any other material which ensures cleanliness. Construction of building shall be such that it shall be rodent proof, fly proof and bird proof. The building and yard, with fittings and equipment should be kept free from breeding places of flies and other insects by eliminating cracks and crevices, as well as by routine and thorough cleaning.
- (b) <u>Ventilation and lighting.</u> The unit shall be adequately lighted and ventilated, keeping in mind the number of workers, their hours of work and nature of operation.
  - 17. <u>Floor.</u> The floor shall be washable with sufficient drainage facility and it shall be impervious to water and not affected by weak acids, alkalies or steam.

- 18. <u>Internalwall</u>. The internal wall shall be smooth, it should be tiled or cement plastered or made of any other impervious material. Where wash basins, sinks are installed, the walls shall be tiled or made impervious to water upto the height of wash basin to safe guard the wall from water seepage.
- 19. Ceiling. The ceiling shall be kept clean.
- 20. <u>Maintenance and repairs</u>. The building shall be maintained in a proper state of repairand cleanliness. Whenever required it shall be lime washed, painted, disinfected and/or deodorized.
- 21. There shall be no cobwebs in any part of the unit.
- 22. Preparation and filling table shall be of wooden tops or covered with Aluminium or stainless sheets or otherwise made impervious to water as far as practicable. All surfaces coming into contact with the food shall be free from pits, crevices and loose scale and shall be non absorbent.
- 23.All internal joinery work should be of simple design for easy cleaning and for minimizing flour dust deposit. In all rooms' wood work, surrounding door windows and other opening should be fixed tight to the internal wall surface so as to avoid open joints which may harbour pests.
- 24. <u>Store Rooms.</u> The store rooms for raw and packing material should be free from dampness and should be rodent proof.
- 25. Wherever possible a separate room for storing machinery, equipment, spare parts shall be provided.
- 26. Proper place shall be provided for storage of brooms, brushes, buckets and other cleaning gear.

### 27. Factory and processing Hygiene.

- (a) Waste and rubbish shall be collected in covered receptacles and shall not be allowed to lie about on the floor.
- (b) Adequate measures shall be taken to prevent growth of mould on equipment and internal structure of processing and storage room.
- (c) Adequate measures shall be taken to prevent infestation of cockroaches and other house hold pests.
- (d) When pesticides and/or other disinfectants are used, care shall be exercised to prevent contamination of equipment, raw material and packing materials.
- (e) Floors and drains shall be kept clean. In the processing areas, the drains shall be provided with detachable covers.
- (f) Sinks and troughs used for washing ingredients and utensils shall not be used for washing of hands.
- (g) No lavatory, sink, cesspool or garbage shall be so situated or maintained that odours or fumes there from pervade any room where product or raw materials are prepared or stored.
- (h) The factory effluents shall be disposed of in a hygienic manner and shall not be let off on road or adjacent fields.
- (j) Window glass and light fitting shall be kept clean.

- (k) Domestic animals shall not be allowed in any part of the unit.
- 28. <u>Container cleanliness</u>. It shall be ensured that containers are clean. The containers shall not be stacked in a manner which allows the contamination of the product.

### 29. Installation of Equipment

- (d) All equipment shall be installed on a foundation of durable, easily cleanable material.
- (e) Equipment shall be placed away from the walls with a view to providing facilities for inspection and cleaning.
- (f) Installation of pipes shall be such as to facilitate easy cleaning and maintenance.

### 30. Equipment and Container Cleanliness

- (d) All electrical connections such as switch boxes, control boxes, conduit cables shall be installed in such a way as to facilitate proper cleaning.
- (e) All equipment coming in contact with raw materials or the product shall be kept clean. An ample supply of water, hoses, brushes, detergent and other equipment necessary for the proper cleaning of machinery and equipment shall be available.
- (f) All processing systems shall be cleaned at the close of operation or at the termination of the continuous operation period.

### **31.** Water.

- (e) There shall be adequate supply of potable water.
- (f) The equipment shall be so installed and used that back siphonage of liquid into potable water lines is precluded.
- (g) Hot and cold water in ample supply shall be provided for plant clean up needs where necessary.
- (h) The storage tanks of water should, unless completely sealed, be kept covered, examined regularly and cleaned at least once every six months.

### 32. Employee Hygiene

- (i) Every person employed in the factory shall be medically examined before employment. Periodical medical examination of the employee shall be subsequently carried out to ensure that they are free from contagious, communicable diseases.
- (j) It shall be impressed upon all employees that they should notify the medical officer, cases of vomiting, diarrhoea, typhoid, dysentery or any other notifiable disease occurring in their own homes and families.
- (k) Employees shall keep their finger nails short and clean and wash their hands with soap or detergent before commencing work and after each absence,

- specially after using sanitary conveniences. Towels used for drying hands should be clean.
- (l) All employees should be inoculated against typhoid and paratyphoid once in every five years. In case of an epidemic all workers shall be inoculated and a record shall be kept.
- (m) No worker shall be allowed to work without proper clothing. Employees shall be provided with clean uniform/aprons and clean washable caps. The uniforms shall not be worn outside the plant but just before starting the work and changed when leaving.
- (n) Eating, spitting, nose cleaning, the use of tobacco in any form or chewing betel leaves shall be prohibited within the manufacturing, packing and storage areas of the unit. Notice to this effect shall be prominently displayed.
- (o) Sufficient and suitable sanitary conveniences shall be provided, maintained and kept clean. The conveniences shall be properly lighted. No conveniences shall open directly into any work room in the factory.
- (p) Sufficient wash basins with adequate provision of soap and towels, latrines and urinals in the prescribed manner should be provided.

IN WITNESS WHEREOF the parties hereto have executed this assignment on the day and year first hereinabove written.

Signature	Signature
First Party	Second Party
	(consortium)
Witness-	
1. Name	
2. Address	
3. Adhar Card	
4. Mobile No	
1. Name	
2. Address	
3. Adhar Card	
4. Mobile No	